**Europäisches Patentamt** 

**European Patent Office** 

Office européen des brevets



(11) EP 0 857 000 A3

(12)

## **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3: 09.08.2000 Bulletin 2000/32

(51) Int. Cl.<sup>7</sup>: **H04Q 11/00**, H04B 10/00

(43) Date of publication A2: 05.08.1998 Bulletin 1998/32

(21) Application number: 98101612.4

(22) Date of filing: 30.01.1998

(84) Designated Contracting States:

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC

NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 31.01.1997 JP 1928297

(71) Applicant: NEC CORPORATION Tokyo (JP)

(72) Inventors:

- Takeshita, Hitoshi Minato-ku, Tokyo (JP)
- Henmi, Naoya Minato-ku, Tokyo (JP)
- (74) Representative: VOSSIUS & PARTNER Siebertstrasse 4 81675 München (DE)

## (54) Optical transmission system

(57) In an optical transmission system comprising an optical branch unit, first through fourth OR/OS pairs each of which includes optical receiver and optical transmitter, optical switch devices for active and standby systems, each of the optical switch devices having an N number of input ports and an M number of output ports; and an optical multiplexer for multiplexing an M number of optical signals supplied from the third OR/OS pair and an M number of optical signals supplied from the fourth OR/OS pair to produce an M number of optical signals, the optical switch devices and the first through the fourth OR/OS pairs have a 3-dB margin with respect to the input optical strength.

First and second paths are each adjusted such that the time required for transmitting an optical signal is identical for all paths. The first path is from an output port of the optical branch unit to the point where the optical signals are multiplexed in the optical multiplexer via the first and the third OR/OS pairs, and the optical switch device for the active system. The second path is from an output port of the optical branch unit to the point where the optical signals are multiplexed in the optical multiplexer via the second and the fourth OR/OS pairs, and the optical switch device for the standby system.




FIG.1



## **EUROPEAN SEARCH REPORT**

Application Number

EP 98 10 1612

	DOCUMENTS CONSIDE			CLASSIFICATION OF THE			
ategory	Citation of document with in of relevant passa	dication, where appropriate, iges	Relevant to claim	APPLICATION (Int.C1.6)			
•	DE 43 06 032 A (SIE 1 September 1994 (19 * abstract; claims	994-09-01)	1-6	H04011/00 H04810/00			
	EP 0 503 849 A (AMEI TELEGRAPH) 16 Septer * abstract * * column 4, line 35	mber 1992 (1992-09	1-6	TECHNICAL FIELDS SEARCHED (Int.CI.6) H048 H040			
	The present search report has	been drawn up for all claims					
	Place of search	Date of completion of the	search	Examener			
	THE HAGUE	14 June 200	00 Dh	ondt, E			
X . pa Y · pa do: A : tec	CATEGORY OF CITED DOCUMENTS ricularly relevant if taken alone ricularly relevant if combined with anoitument of the same category innological background in-written disclosure	T: theory E: earlier after ti ther D: docum L: docum 8: memb	T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filling date D: document cited in the application L: document cited for other reasons  &: member of the same patent family, corresponding document				

## ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 98 10 1612

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

14-06-2000

cit	Patent docume ed in search re	nt port	Publication date		Patent family member(s)	Publication date
DE	4306032 A	Α	01-09-1994	NONE		
EP.	0503849	Α	16-09-1992	US JP	5181134 A 4326334 A	19-01-1993 16-11-1993
***						•
					•	
٠						
				•		. ,
	•					
		•				
			•			
				5. 7%1	· •	
				,		
		٠	·			